

LUN

AW

**FIREPLACE AND
THERMOFIREPLACE
ACCESSORIES**

CAST IRON FIREPLACE COMPONENTS





Download the digital
catalogue

The catalog contains QR codes. For those who do not have the necessary reading software, all documents can be found on the website www.lunaway.it, where QR code reading software can be downloaded free of charge.

All images are the property of Lunaway.
Cast iron. Weights and measurements may vary from those indicated in this catalog.

2026 edition

Printed in February 2026

Printed on recycled paper



01. CAST IRON PLATES	/ p. 5
01.1 FIXING	/ p. 6
01.2 CUSTOM SMOOTH PLATES	/ p. 10
01.3 MODULAR PLATES	/ p. 12
01.4 DECORATED PLATES	/ p. 14
01.5 CUSTOM COLORING	/ p. 27
01.6 MADE-TO-MEASURE DEC. PLATES	/ p. 28
02. CAST IRON GRATES	/ p. 32
02.1 ASH GRATES	/ p. 33
02.2 MODULAR ASH GRATES	/ p. 35
02.3 ASH DRAWERS	/ p. 37
02.4 VENTILATION GRATES	/ p. 39
03. CAST IRON LOG HOLDERS AND FIRE TOOLS	/ p. 42
04. GENERAL TERMS OF SALE	/ p. 50



CAST IRON PLATES



DISCOVER OUR
TIPS ON OUR
YOUTUBE CHANNEL

Lunaway fireplace plates are not only a valuable decorative element, but they also extend the life of your hearth thanks to the excellent properties of cast iron, which stores and radiates heat long after the fire has gone out.

To make the most of your fireplace's heat, we recommend fully lining it with cast iron. This protects the hearth area and prevents heat loss to the surrounding walls, increasing efficiency.

As a general guideline, a height of at least 19,68 inc. is suggested—enough to cover the live flame. If your fireplace allows, taller panels are recommended to better recover heat, including that of the smoke, and to fully cover the masonry or refractory area for an optimal aesthetic result.

THE SCIENCE OF HEAT RADIATION

Engineered from ASTMA48 Class30 Grey Iron, they radiate heat back into the room, increasing fireplace efficiency by 20% to 30%.

- + ASTM A 48 CLASS30: High-density structural iron for superior thermal shock resistance
- + ASTM E136: Certified non-combustible material.
- + LEAD & CADMIUM FREE: 100% clean material for a safe home environment.
- + ENERGY SAVING: Reduces heat loss through fireplace masonry.

LONG-LASTING DURABILITY

Cast iron plates have an exceptionally long lifespan. Original plates from the 18th century can still be found in some historic buildings.


Maintaining them is simple if you follow a few basic guidelines:

- + Install with allowance for thermal expansion
- + Avoid extinguishing the fire with water
- + At the end of each season, remove ash deposits with a wire brush

LEGEND

1. FRONT PANEL
2. SIDE FIXING BRACKET
3. CAST IRON BASE
4. GRATE
5. ASH DRAWER
6. DRAWER HOLE
7. SUPPORT BRACKET





INSTALLATION

For proper installation, it is recommended to place the base first, followed by the front panels, and then the side plates. The base should be positioned on a flat surface and does not need to be fixed, as its weight is sufficient.

If the fireplace surface is uneven, spreading a layer of sand can be helpful. This will help level the surface and enhance the heat-reflecting properties of the cast iron. The plates used for the back and sides should be placed against the vertical walls of the fireplace and secured using the support brackets.

USING THE FIXING BRACKETS

All support brackets are designed to be inserted into the walls, with the threaded rod secured using a heat-resistant chemical anchor. Dowels are not required.

FIXING BRACKETS

Models Requiring a Hole in the Plate (**EXAMPLE 1**)

ART.	DIMENSIONS	LB	\$
GRAPIN	0.79 x 3.94 x 0.79 h in	2.204	10, ⁰⁰
GRASTAR	0.79 x 3.94 x 0.79 h in	4.408	10, ⁰⁰


Models Not Requiring a Hole in the Plate (**EXAMPLE 2**)

ART.	DIMENSIONS	LB	\$
GRALILY	1.18 x 3.94 x 1.38 h in	2.204	10, ⁰⁰
GRALION	1.14 x 0.47 x 1.37 h in	3.306	10, ⁰⁰
GRA	1.18 x 3.27 x 0.98 h in	4.408	10, ⁰⁰

The price of all fixing brackets is for a pair

DRILLING THE CAST IRON PLATES

ART.	DIMENSIONS	\$
DRILL	PAIR OF HOLES FOR GRAPIN O GRASTAR	13,00




EXAMPLE 1: Plate Fixing with Grapin / Grastar



It is possible to drill cast iron plates using a standard drill with a steel bit. The hole diameter should be 11 mm for the **GRAPIN** model and 7 mm for the **GRASTAR** model, allowing for expansion during fireplace use. For a stable fixing and balanced aesthetic, plates should be drilled 1,96 inc. from the top and side edges (position may vary for decorated plates with irregular profiles).

To ensure proper and visually consistent installation, we recommend the **DRILL** service, which can be applied to all plates and is carried out by our staff.

EXAMPLE 2: Plate Fixing with Gralily / Gralion / Gra



When using **GRALION** or **GRALILY**, the plate does not need to be drilled; only the refractory material should be drilled with a 0,27 inc concrete bit.

For **GRA** plates, two consecutive holes are required.

Compliance Note:

Our cast iron plates and installation hardware are designed to assist compliance with NFPA 211 standards for wall protection, ensuring safe clearances to combustibles and proper heat shielding.



WHY FEET

Ideal for supporting cast iron plates without drilling the fireplace walls.



FEET SUPPORTS

ART.	DIMENSIONS	LB	\$
FEET	1.97 x 5.71 x 3.62 h in	31.958	44, ⁵⁰


Price is for a pair.



CUSTOM SMOOTH PLATES

Smooth plates are ideal for lining the walls of the fireplace as well as for creating the base. We offer over 30 different sizes of smooth plates, but if you need custom dimensions, they can be cut or shaped to size. Any shape or size can be made (up to a maximum of 55,11 x 47,24 inc.).

To create a custom plate, select a larger plate than the desired final size and provide detailed internal dimensions for all sides. For shaped cuts, it is recommended to send a drawing or sketch. If a hole for the grate or ash drawer is required, the correct position must be indicated.



LINEAR CUSTOM CUTS


ART.	DIMENSIONS	\$
CUT 1	1 CUT	17,00
CUT 2	2 CUTS	21,00
CUT 3	3/+ CUTS	31,00
CUT ASH	CUT FOR ASH DRAWER HOLE	31,00



CIRCULAR CUSTOM CUTS

ART.	DIMENSIONS	\$
CUT ROUND	CIRCULAR CUT	42,00

Maximum diameter 38,18 in. For larger diameters, the price will be provided upon request.



STANDARD SIZES



THICKNESS - 0,3 inc

ART.	DIMENSIONS	LB	\$
LL 4040 0,8	15.75 x 15.75 x 0.31 in	18,7	57,⁰⁰
LL 4050 0,8	15.75 x 19.69 x 0.31 in	25,8	77,⁰⁰
LL 4060 0,8	15.75 x 23.62 x 0.31 in	29,1	87,⁵⁰
LL 5050 0,8	19.69 x 19.69 x 0.31 in	30,9	97,⁰⁰
LL 5060 0,8	19.69 x 23.62 x 0.31 in	39,7	120,⁵⁰
LL 5070 0,8	19.69 x 27.56 x 0.31 in	40,1	120,⁵⁰
LL 6060 0,8	23.62 x 23.62 x 0.31 in	40,8	121,⁵⁰

THICKNESS - 0,39 inc

ART.	DIMENSIONS	LB	\$
LL 4050 1	15.75 x 19.69 x 0.39 in	28,7	87,⁵⁰
LL 4060 1	15.75 x 23.62 x 0.39 in	37,5	120,⁰⁰
LL 5050 1	19.69 x 19.69 x 0.39 in	39,7	120,⁵⁰
LL 5060 1	19.69 x 23.62 x 0.39 in	47,4	149,⁰⁰
LL 5070 1	19.69 x 27.56 x 0.39 in	54,4	161,⁰⁰
LL 5075 1	19.69 x 29.53 x 0.39 in	56,9	168,⁰⁰
LL 5080 1	19.69 x 31.5 x 0.39 in	61,7	189,⁰⁰
LL 6060 1	23.62 x 23.62 x 0.39 in	56,2	168,⁰⁰
LL 6070 1	23.62 x 27.56 x 0.39 in	62,8	192,⁰⁰
LL 6080 1	23.62 x 31.5 x 0.39 in	70,5	210,⁵⁰
LL 6090 1	23.62 x 35.43 x 0.39 in	80,4	241,⁰⁰
LL 60100 1	23.62 x 39.37 x 0.39 in	90,4	269,⁰⁰
LL 7040 1	27.56 x 15.75 x 0.39 in	44,7	132,⁵⁰
LL 7070 1	27.56 x 27.56 x 0.39 in	67,2	205,⁰⁰
LL 7090 1	27.56 x 35.43 x 0.39 in	94,8	284,⁰⁰
LL 8080 1	31.5 x 31.5 x 0.39 in	97,0	289,⁰⁰
LL 8090 1	31.5 x 35.43 x 0.39 in	115,0	341,⁰⁰

THICKNESS - 0,47/0,55 inc

ART.	DIMENSIONS	LB	\$
LL 60120 1,2	23.62 x 47.24 x 0.47 in	133,3	392,⁵⁰
LL 80100 1,2	31.5 x 39.37 x 0.47 in	145,5	438,⁰⁰
LL 80110 1,2	31.5 x 43.31 x 0.47 in	169,7	500,⁰⁰
LL 80130 1,2	31.5 x 51.18 x 0.47 in	190,6	576,⁰⁰
LL 90100 1,2	35.43 x 39.37 x 0.47 in	170,8	503,⁰⁰
LL 100100 1,2	39.37 x 39.37 x 0.47 in	189,5	558,⁵⁰
LL 100130 1,2	39.37 x 51.18 x 0.47 in	231,4	668,⁰⁰
LL 120140 1,4	47.24 x 55.12 x 0.55 in	387,9	1113,⁵⁰

MODULAR PLATES

Modular cast iron plates with a grooved surface. Universal fixing system to adapt the installation to any type and size of fireplace or thermofireplace.

ART.	DIMENSIONS	Lb	\$
LM5020 2	19.69 x 19.69 x 0.79 h in	13,9	13, ⁵⁰
LM7020 2	27.56 x 19.69 x 0.79 h in	19,3	18, ⁵⁰

ART.	DIMENSIONS	Lb	\$
LM5020 2 VERMICULITE	19.69 x 19.69 x 0.79 h in	15,3	18, ⁵⁰
LM7020 2 VERMICULITE	27.56 x 19.69 x 0.79 h in	21,4	25, ⁰⁰

0,40 in Vermiculite Inner Lining Included



DOUBLE THERMAL ACTION

HEAT STORAGE + REFLECTION

The cast iron front plate stores heat and radiates it into the room. Vertical ribs reinforce the structure and increase the radiating surface.

The cast iron structure features a raised perimeter profile that fully contains the vermiculite thickness, providing complete protection and a clean aesthetic.

The rear vermiculite panel prevents heat loss to the back and reflects it toward the cast iron, increasing radiant efficiency.

SMART DESIGN

No brackets, anchors, or fasteners are needed for installation, resulting in a sleek and minimalist appearance.

The modular system not only simplifies assembly but also facilitates maintenance and cleaning.

Patent pending

SUSPENDED FIXING

Installation is done via a movable hook on the rear support bar, with no visible screws or fittings on the individual panels.

ART.	DIMENSIONS	Lb	\$
LMBARRAL100	39.40x1,18 in	0,7	12, ⁵⁰

Custom Cut Included

*Upon request, fixing brackets are available with finishes in **Steel / Brass / Aluminum / Cast Iron.***



LUNAWAY | FIREPLACE AND THERMOFIREPLACE ACCESSORIES



DECORATED PLATES

FO02

LILY



ART.	DIMENSIONS	Lb	\$
FO 02 60	23.62 x 23.62 x 0.39 h in	58,0	181, ⁵⁰
FO 02 80	31.5 x 23.62 x 0.47 h in	91,5	286, ⁰⁰
FO 02 110	43.31 x 31.5 x 0.47 h in	192,9	602, ⁰⁰

Pictured: 31,50 x 23,60 h in

To view images of other dimensions, visit www.lunaway.it






SAILER

FO
021



ART.	DIMENSIONS	Lb	\$
FO 021	39.37 x 29.13 x 0.79 hin	165,3	519, ⁵⁰



ROYAL CASE

FO
037



ART.	DIMENSIONS	Lb	\$
FO 037	39.37 x 31.5 x 0.39 hin	198,4	613, ⁰⁰

FO 024

DAMA



ART.	DIMENSIONS	Lb	\$
FO 024	31.5 x 31.5 x 0.79 h in	130,0	407, ⁰⁰



FO 027

PUTTI



ART.	DIMENSIONS	Lb	\$
FO 027	31.5 x 31.5 x 0.79 h in	136,6	420, ⁵⁰



DEI

FO
09



ART.	DIMENSIONS	Lb	\$
FO 09	22.83 x 26.38 x 0.39 h in	81,5	253, ⁵⁰




VENUS

FO
022




ART.	DIMENSIONS	Lb	\$
FO 022	31.5 x 31.5 x 0.47 h in	127,8	398, ⁰⁰



FO 028

ROYAL LILY



ART.	DIMENSIONS	Lb	\$
FO 028	19.69 x 19.69 x 0.79 hin	46,3	150, ⁵⁰



FO 029

LION



ART.	DIMENSIONS	Lb	\$
FO 029	21.65 x 17.72 x 0.79 hin	38,6	121, ⁵⁰





FO
04

SWORDS


ART.	DIMENSIONS	Lb	\$
FO 04	47.24 x 23.62 x 0.63 h in	156,5	498, ⁰⁰



FO
031

KING

ART.	DIMENSIONS	Lb	\$
FO 031	19.69 x 19.69 x 0.87 h in	50,7	160, ⁵⁰



FO 026

CATCH



ART.	DIMENSIONS	Lb	\$
FO 026	18.9 x 14.96 x 0.63 h in	37,5	120, ⁰⁰



FO01

TABLE



ART.	DIMENSIONS	Lb	\$
FO 01 40	15.75 x 15.75 x 0.39 h in	30,8	99, ⁵⁰
FO 01 60	23.62 x 23.62 x 0.39 h in	49,4	159, ⁵⁰
FO 01 80	31.5 x 23.62 x 0.47 h in	102,5	319, ⁵⁰
FO 01 110	43.31 x 31.5 x 0.47 h in	200,6	625, ⁵⁰

Pictured: 31,50 x 23,60 h in

To view images of other dimensions, visit www.lunaway.it



FOCOLAR

FO
019



ART.	DIMENSIONS	Lb	\$
FO 019	27.17 x 26.77 x 0.39 h in	93,7	292, ⁰⁰



HUNTER

FO
020



ART.	DIMENSIONS	Lb	\$
FO 020	30.71 x 29.53 x 0.39 h in	119,0	371, ⁵⁰

FO
034


LANDSCAPES



ART.	DIMENSIONS	Lb	\$
FO 034	23.62 x 23.62 x 0.39 h in	55,1	176, ⁰⁰

FO
032

HORSES



ART.	DIMENSIONS	Lb	\$
FO 032	19.69 x 19.69 x 0.39 h in	49,6	159, ⁵⁰



DEER

FO
08

ART.	DIMENSIONS	Lb	\$
FO 08 60	23.62 x 23.62 x 0.39 h in	68,3	212, ⁰⁰
FO 08 80	31.5 x 23.62 x 0.47 h in	88,2	275, ⁵⁰
FO 08 110	43.31 x 31.5 x 0.47 h in	176,3	546, ⁰⁰

Pictured: 31,50 x 23,60 h in

*To view images of other dimensions, visit
www.lunaway.it*



RABBIT

FO
033


ART.	DIMENSIONS	Lb	\$
FO 033	19.69 x 19.69 x 0.39 h in	50,7	160, ⁵⁰

FO
010**BIRDS**

ART.	DIMENSIONS	Lb	\$
FO 010	20.87 x 19.29 x 0.39 h in	35,3	110, ⁵⁰



LD

DECO

ART.	DIMENSIONS	Lb	\$
LD 4640	18.11 x 15.75 x 0.39 h in	23,6	78, ⁰⁰
LD 6060	23.62 x 23.62 x 0.39 h in	51,8	163, ⁰⁰
LD 8060	31.5 x 23.62 x 0.39 h in	63,9	192, ⁵⁰

*Pictured: 31,50 x
23,60 h in*

*To view images
of other
dimensions, visit
www.lunaway.it*



LD 4640 > 12,6 in
LD 6060 > 18,90 in
LD 8060 > 18,90 in



TULIPANS

FO
036

ART.	DIMENSIONS	Lb	\$
FO 036	19.69 x 27.56 x 0.39 h in	69,4	215, ⁰⁰



UVA

FO
035

ART.	DIMENSIONS	Lb	\$
FO 035	19.69 x 27.56 x 0.39 h in	48,5	158, ⁵⁰

HIGH-RESISTANCE CUSTOM COLORING

For an excellent result, cast iron plates can be treated with a special lamellar, heat-resistant paint (up to 350°C) available in various colors. This highly protective coating gives the plates a brighter, cleaner, and more decorative appearance. Ideal also as an end-of-season treatment.

ART.	°F	f oz	\$
SPRAY HT REDOCHRE	650	13,53	30, ⁵⁰
SPRAY HT IVORY	650	13,53	30, ⁵⁰
SPRAY HT GALET GREY	650	13,53	30, ⁵⁰
SPRAY HT DARK GREY	1100	13,53	30, ⁵⁰



REDOCHRE



IVORY



GALET GREY



DARK GREY

ONE-SIDE COLORING SERVICE

ART.	PRICE
PAINT HT ONESIDE	20% of Plate List Price

CUSTOM DECORATED PLATES


It is possible to add the decorative motifs shown on the previous pages to a smooth plate, starting from the minimum indicated size.

EG:

Fig.A - Plate model FO 027 measures 31,50 × 31,50 in. To create a front panel measuring 37,04 × 37,04 in, we would use an LL100100 plate, which will be cut to size. The decorated plate will be positioned in the center, unless otherwise requested, and will be secured with screws from the back.

Note: For this type of customization, we recommend contacting our technical-commercial office, which will help you find the best solution.

FIG A



CUSTOM MOLDS

It is also possible to create custom molds with coats of arms, rosettes, dates, and names by requesting mold fabrication. Our craftsmen can faithfully replicate drawings or bas-reliefs, and the mold can be used not only for fireplace plates but for any other application.









CAST IRON GRATES

ASH GRATES



ART.	Base A (in)	Height B (in)	Thickness C (in)	Lb	\$
GA160160	6.3	6.3	0.39	2,7	11, ⁰⁰
GA180180	7.09	7.09	0.39	3,4	14, ⁰⁰
GA195234	7.68	9.21	0.47	6,2	25, ⁰⁰
GA200140	7.87	5.51	0.39	2,9	12, ⁵⁰
GA200150	7.87	5.91	0.39	3,2	13, ⁵⁰
GA200160	7.87	6.3	0.39	3,3	13, ⁵⁰
GA200170	7.87	6.69	0.39	3,6	15, ⁰⁰
GA200200	7.87	7.87	0.39	3,7	15, ⁵⁰
GA205235	8.07	9.25	0.39	4,4	17, ⁵⁰
GA207191	8.15	7.52	0.39	4,2	17, ⁰⁰
GA220140	8.66	5.51	0.39	3,2	13, ⁰⁰
GA220160	8.66	6.3	0.39	3,6	15, ⁰⁰
GA220170	8.66	6.69	0.39	3,9	16, ⁰⁰
GA220180	8.66	7.09	0.39	4,0	16, ⁰⁰
GA235235	9.25	9.25	0.39	6,0	23, ⁵⁰
GA238188	9.37	7.4	0.39	4,6	17, ⁵⁰
GA240140	9.45	5.51	0.39	3,4	14, ⁰⁰
GA240150	9.45	5.91	0.39	3,8	16, ⁰⁰
GA240160	9.45	6.3	0.39 (20mmreinforcement)	4,8	19, ⁰⁰
GA240180	9.45	7.09	0.39	4,3	17, ⁵⁰
GA250250	9.84	9.84	0.39	6,0	23, ⁵⁰
GA255225	10.04	8.86	0.47	6,6	25, ⁵⁰

CONTINUED TO THE NEXT PAGE

ART.	Base A (in)	Height B (in)	Thickness C (in)	Lb	\$
GA260160	10.24	6.3	0.39	4,2	17, ⁰⁰
GA260180	10.24	7.9	0.39	4,7	17, ⁵⁰
GA280160	11.02	6.3	0.39	4,5	17, ⁵⁰
GA280180	11.02	7.09	0.39	5,0	20, ⁵⁰
GA290182	11.42	7.17	0.39	4,8	19, ⁰⁰
GA293215	11.54	9.46	0.39	7,1	26, ⁰⁰
GA300150	11.81	5.91	0.39	4,5	17, ⁵⁰
GA300180	11.81	7.09	0.39	5,3	22, ⁵⁰
GA300206	11.81	8.11	0.39	5,5	22, ⁵⁰
GA300220	11.81	8.66	0.39	6,4	25, ⁵⁰
GA320180	12.06	7.09	0.39	5,6	22, ⁵⁰
GA313195	12.32	6.8	0.39 (central vein)	6,8	26, ⁰⁰
GA362100	14.25	3.94	0.39 (central vein)	3,7	15, ⁵⁰

IF YOU NEED LARGER DIMENSIONS


In addition to using a single element, two or more grates of the same model can be placed side by side to cover larger or non-standard holes.

This modular solution offers numerous advantages:

- Greater adaptability to the actual dimensions of the hole
- Easier installation, especially on existing fireplaces
- Better management of the thermal expansion of cast iron
- Easier maintenance of the ash compartment (for example, by removing just one grate)
- Using multiple grates side by side allows.


Example:

If you have any doubts about the most suitable configuration, our technical-sales office is available to assist you in choosing.



MODULAR ASH GRATES FOR LARGE SURFACES

Improved embers ventilation
and easier barbecue cleaning.




ART.	DIMENSIONS	Lb	\$
GA 400150	15.75 x 5.91 x 0.39 h in	7,0	26,⁵⁰
GA 40043	15.75 x 1.69 x 0.39 h in	1,9	7,⁵⁰



MODEL READY TO BE CUT TO SIZE

By providing the desired dimensions, we
can recommend the ideal configuration
for any need.


The custom cutting service is available upon
request and is included in the grate price.



* Prices shown do not include VAT.

ART.	DIMENSIONS	Lb	\$
GA 304209_R	11.97 x 8.23 in	8,2	32, ⁵⁰
GA 318248_R	12.52 x 9.76 in	8,6	33, ⁰⁰
GA 340248_R	13.39 x 9.76 in	10,6	42, ⁰⁰

Thickness 0,40 in, central thickness 0,70 in




ART.	DIMENSIONS	Lb	\$
GA135	ø 5.31 x 0.39 in	1,9	7, ⁵⁰
GA180	ø 7.09 x 0.39 in	2,6	9, ⁵⁰
GA190	ø 7.48 x 0.39 in	2,7	10, ⁵⁰
GA200	ø 7.87 x 0.39 in	3,2	12, ⁵⁰
GA210	ø 8.27 x 0.39 in	3,4	13, ⁵⁰
GA215	ø 8.46 x 0.39 in	4,3	17, ⁰⁰
GA235	ø 9.25 x 0.39 in	4,4	18, ⁵⁰



ART.	DIMENSIONS	Lb	\$
GA 160160 CL	6.3 x 6.3 in	3,1	13, ⁰⁰

Thickness 0.23 in on 3 sides, central thickness 0,40 in



ASH DRAWER

ART.	DIMENSIONS	Lb	\$
ASH 2419	9.45 x 7.48 x 2.76 h in	1,7	15, ⁵⁰

Compatible with GA 238188



ART.	DIMENSIONS	Lb	\$
ASH3020	11.81 x 7.87 x 2.76 h in	1,9	20, ⁵⁰

Compatible with GA 300206






VENTILATION GRATES



ART.	DIMENSIONS	AIR FLOW	Lb	\$
GAM150150	5.91 x 5.91 in	9,37 in ²	2,3	9, ⁵⁰
GAM 200200	7.87 x 7.87 in	17,30 in ²	4,0	16, ⁰⁰
GAM 250250	9.84 x 9.84 in	31,76 in ²	5,5	22, ⁵⁰

*Shaped – Perimeter Thickness
0,60 in, Central Thickness 0,40 in*



ART.	DIMENSIONS	AIR FLOW	Lb	\$
GAD150150	5.91 x 5.91 in	6,96 in ²	2,8	9, ⁵⁰
GAD 200200	7.87 x 7.87 in	15,18 in ²	4,8	17, ⁰⁰
GAD 250250	9.84 x 9.84 in	26,20 in ²	7,1	25, ⁰⁰
GAD 300300	11.81 x 11.81 in	39,14 in ²	9,9	33, ⁵⁰

LUNAWAY | FIREPLACE AND THERMOFIREPLACE ACCESSORIES



LOG HOLDERS AND ANDIRONS



IMPROVES DRAFT

Helps lift the logs from the fireplace base, promoting air flow and improving draft. Ensures more efficient combustion, livelier flames, higher heat output, and reduced smoke and ash production.

PL 31 L



ART.	DIMENSIONS	Lb	\$
PL 31 L	26.77 x 22.44 x 15.35 h in	35,7	178, ⁵⁰



PL 31 C



ART.	DIMENSIONS	Lb	\$
PL 31 C	26.77 x 22.44 x 15.35 h in	37,0	183, ⁰⁰



PL 32 L

PL
32L



ART.	DIMENSIONS	Lb	\$
PL 32 L	23.62 x 18.9 x 15.75 h in	31,3	150, ⁰⁰



PL 32 C

PL
32C



ART.	DIMENSIONS	Lb	\$
PL 32 C	23.62 x 18.9 x 15.75 h in	32,6	155, ⁰⁰



PL 33 LPL
33L

ART.	DIMENSIONS	Lb	\$
PL 33 L	17.72 x 16.73 x 11.22 h in	21,4	103, ⁵⁰

**PL 33 C**PL
33C

ART.	DIMENSIONS	Lb	\$
PL 33 C	17.72 x 16.73 x 11.22 h in	22,5	107, ⁵⁰



PL 10



ART.	DIMENSIONS	Lb	\$
PL 10	25.2 x 17.72 x 5.91 h in	34,4	126, ⁵⁰



PL 11



ART.	DIMENSIONS	Lb	\$
PL 11	17.72 x 12.6 x 5.12 h in	18,7	70, ⁵⁰



PL 41


PL41



ART.	DIMENSIONS	Lb	\$
PL 41	14.76 x 10.24 x 4.96 h in	12,3	52, ⁵⁰



PL 42



ART.	DIMENSIONS	Lb	\$
PL 42	26.77 x 7.87 x 5.87 h in	16,8	69, ⁰⁰



The two elements can be placed side by side to create a larger log holder with dimensions 26,7 × 15,7 × 5,9 h in

A 9

A 9




ART.	DIMENSIONS	Lb	\$
A 9	18.9 x 18.11 in	26,4	92, ⁰⁰



A 10

A 10



ART.	DIMENSIONS	Lb	\$
A 10	23.74 x 22.83 in	44,1	153, ⁵⁰





GENERAL TERMS OF SALE

COMPANY INFORMATION

CAST SRL

Registered Office:

Viale Giulio Cesare, 71 | 00192 Rome, Italy

Offices and Showroom:

Via del Lavoro, 1 | 01100 Viterbo, Italy

VAT No.: 02271260560 | fv-cast@pec.it

ORDERS

For orders placed via e-mail, telephone, fax, or regular mail, the Lunaway salesoffice will send a salesconfirmation containing all contractual conditions. The order will be processed only after receiving the signed sales confirmation from the customer.

For orders placed through the website lunaway-castiron.com, the order will be processed without additional confirmation.

PAYMENTS

Payments must be made according to the methods and terms specified in the order or sales confirmation. Any delays in payment will incur interest at the legal rate in effect at the time of charge, plus 3 percentage points. Our main payment methods are:

BANK TRANSFER – CAST SRL:

Deutsche Bank S.P.A. (Viterbo)

IBAN: IT27S0310414500000000822126

SWIFT: DEUTITM1810

Reference: Buyer's last name.

Shipment will occur once the payment is credited to the bank account or after sending the proof of transfer (CRO) to info@lunaway.it

CREDIT CARD OR PAYPAL:



Via Paypal, sending payment to info@lunaway.it | Reference: Buyer's last name and order number.

WARRANTIES

Lunaway products are covered by **lifetime warranty on casting defects**

Cast iron is a natural and durable material, but direct contact with fire leads to normal wear over time. Therefore, the warranty does not cover rust, color changes, or damage caused by improper use (impacts, excessive loads, use of water on hot products). Proper use and maintenance help prolong the product's life. Scan the QR to register for extended warranty.



RIGHTS OF CAST SRL

CAST SRL reserves the right to make changes to the construction, dimensions, and weight of items listed in its catalogs and price lists without prior notice. Product Liability Disclaimer: Lunaway is not liable for indirect, incidental, or consequential damages resulting from improper installation or misuse of the products

DISPOSAL OF CAST IRON

All products in this catalog are made of cast iron and steel, sustainable metals that can be recycled an unlimited number of times, saving significant raw materials and energy. Foundries allow metallic products that have reached the end of their life to be reused, restoring them to their original condition, a perfect example of a circular economy.



JURISDICTION

For any dispute arising from the sales relationship, the courts of the registered office in Rome shall have jurisdiction.

PRICES

List prices are exclusive of VAT and refer to standard items.

PACKAGING

The cost of standard packaging is included in the price. Standard packaging provides adequate protection for the products.

We are pleased to announce that we have completely eliminated the use of plastic in our packaging. We now use only cardboard, protecting your purchases while reducing our environmental footprint. Thank you for helping create a greener world with our products.



SHIPPING

We ship to all European countries. Shipping costs are updated on our website according to the destination. Costs are calculated based on weight (maximum \$4.00/Lb).

Delivery is made by courier, and unloading occurs exclusively at ground level. Unless there are courier delays, delivery is expected within 2 working days in Italy and 6 working days in Europe.

RETURNS AND REFUNDS

If you are not satisfied with your purchase, products can be returned within 14 days of delivery. Return shipping costs are the responsibility of the buyer. Once Lunaway staff authorize the return, products must be delivered to the authorized courier within 14 days. Refunds will be processed using the original payment method after receipt and inspection of the product.

CAST SRL reserves the right to refuse returns if communicated, sent, or shipped after the indicated period or if the product is not intact. All items are inspected before shipment. Returned items that are damaged or visibly altered will be rejected and returned to the customer, who will be charged standard shipping costs (COD).

For defective or faulty products, send an email to info@lunaway.it. Replacement of the same model and size is possible based on warehouse availability, with free shipping. If replacement is not possible, standard refund procedures will be followed.

To initiate a return, email info@lunaway.it with the invoice or shipping reference number, item code, order receipt date, and reason for return. Once the return request is approved, we will send instructions via email for contacting and delivering the products to the courier. Items must be delivered to the courier within 14 days of return authorization. A PDF shipping label will be sent via email to print and attach to the package.

We recommend keeping the original packaging, which can be reused if intact by simply replacing the label. You may return an entire order or just part of it.

**FEEL THE
WARMTH OF
HOME WITH
LUNAWAY**



Download the digital
catalogue

Tel.: +39 0761 18.70.772

E-mail: info@lunaway.it

Website: lunaway-fireplace.com



Tel.: +39 0761 18.70.772
E-mail: info@lunaway.it
Website: lunaway-fireplace.com